

1) THE INTENT OF THE DEMOLITION PLAN IS TO SHOW THE GENERAL NATURE OF THE DEMOLITION SCOPE. INDIVIDUAL DEMOLITION NOT SHOWN BUT REQUIRED TO ACCOMMODATE NEW WORK IS THE RESPONSIBILITY OF THE CONTRACTOR. THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING THE JOB SITE AND VERIFYING THE EXISTING CONDITIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR IDENTIFYING ANY OBSTACLES, DISCREPANCIES OR DIFFICULTIES THAT MIGHT ARISE PRIOR TO EXECUTING THE WORK. IN ADDITION, EXAMINE ALL WORK THAT IS INTENDED TO REOPEN PARTS OF THE COMPLETED PROJECT AND REPORT ANY OBSTACLES, DISCREPANCIES OR DIFFICULTIES TO THE ARCHITECT IMMEDIATELY. THE CONTRACTOR SHALL EXTEND CARE DURING DEMOLITION TO AS NOT TO DAMAGE CONSTRUCTION AND OTHER STRUCTURES THAT ARE INTENDED TO REMAIN. ANYTHING DAMAGED AT THE TIME OF WORK IS TO BE REPAIRED AND/OR REPLACED AT THE CONTRACTOR'S EXPENSE. CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS.

2) ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH ALL STANDARD LOCAL, NATIONAL, STATE AND FEDERAL SAFETY REQUIREMENTS FOR DEMOLITION.

3) REFER TO ALL OTHER PLANS INCLUDING BUT NOT LIMITED TO FLOOR PLANS, ENGINEERING PLANS, ELECTRICAL SCHEDULES, PERMITS, AND SPECIFICATIONS FOR BID AND PRIOR TO COMMENCEMENT OF DEMOLITION. SCHEDULE OF DEMOLITION ACTIVITIES MUST BE COORDINATED WITH CONSTRUCTION PHASES INDICATED IN THESE DRAWINGS.

4) CONTRACTOR SHALL PROVIDE MAINTENANCE EQUIPMENT AND SERVICES AND PERFORM ALL OPERATIONS REQUIRED FOR COMPLETE DEMOLITION AND RELATED WORK AS DESCRIBED AND SPECIFIED HEREIN AND AS MAY BE REASONABLY IMPLIED AS NECESSARY TO COMPLETE THE WORK IN ALL RESPECTS.

5) PRIOR TO DEMOLITION OF EXISTING STRUCTURES FOR EXISTING ITEMS TO REMAIN (DOORS, PLUMBING RISERS, ELECTRICAL FEEDS, PANELS ETC.)

6) WHEN DEMOLITION TAKES PLACE, SHOULD ANY WORK AFFECT THE INTEGRITY OF THE STRUCTURE, WORK MUST STOP IMMEDIATELY AND THE ARCHITECT BE NOTIFIED. UNDER NO CIRCUMSTANCES SHALL REINFORCING OF STRUCTURE BE OMITTED.


7) CONTRACTOR TO REMOVE AND/OR ABANDON ALL ITEMS ON SCHEDULES FOR RELOCATION. SAID ITEMS TO BE REMOVED CAREFULLY, PROTECTED AND STORED.

8) CONTRACTOR TO DISPOSE OF ALL ITEMS NOT ON SCHEDULES FOR RELOCATION. ITEMS TO BE SALVAGED PRIOR TO DEMOLITION. THESE ITEMS MAY INCLUDE, BUT ARE NOT LIMITED TO: CASEWORK, LIGHT FIXTURES, DOORS, PLUMBING EQUIPMENT, EXISTING FURNITURE, CEILING COMPONENTS, SIGNAGE, ETC.

9) DISPOSAL OF ALL DEMOLISHED OR REMOVED MATERIALS LEGALLY OFF THE SITE. COMPLY WITH ALL LOCAL, STATE AND FEDERAL REQUIREMENTS.


- AN ASSESSMENTS / LEAD PASTOR SHALL HAVE BEEN PERFORMED / RESULTS INDICATING A REMEDIY WHICH IS REFERENCED THESE DOCUMENTS. CONTRACTOR SHALL HAVE A CERTIFIED ASBESTOS ABATEMENT CONTRACTOR / LEGALLY REMOVE ALL HAZARDOUS MATERIALS AND PROVIDE JOBSITE REMEDIATION FOR THE SAME. PRIOR TO COMMENCING WORK, CONTRACTOR SHALL REMOVE THE ASBESTOS CONTAINMENT BARRIER AND SHALL BE HELD RESPONSIBLE FOR THE REMOVAL OF ALL ASBESTOS. CONTRACTOR SHALL IMMEDIATELY ISOLATE THE WORK AREA FROM ALL OTHER HAZARDOUS MATERIALS ARE DISCOVERED DURING CONSTRUCTION. NOTIFY THE ARCHITECT / OWNER FOR FURTHER INSTRUCTIONS BEFORE PROCEEDING WITH OTHER WORK.
11. MAINTAIN EXISTING UTILITIES TO REMAIN IN SERVICE AND PROTECT AGAINST DAMAGE DURING DEMOLITION OPERATIONS. PRIOR COMMENCIAL CLARE THE ENTIRE AREA OF DEMOLITION TO A TOP. INFORM CONTRACTOR REMOVING ALL DEBRIS FROM THE SITE. CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES.
12. EXISTING WALLS, COLUMNS, DOORS, / OTHER BUILDING COMPONENTS TO REMAIN ARE SHOWN AS SOLID LINES.
13. EXISTING WALLS, COLUMNS, DOORS, / OTHER BUILDING COMPONENTS TO BE REMOVED ARE SHOWN AS DASHED LINES. (SEE ATTACHED DRAWING FOR DETAILS)
14. NEW CONSTRUCTION INCLUDING INSTALLING A NEW OVERALL BUILDING FIRE SPRINKLER SYSTEM. CONTRACTOR SHALL REMOVE / REPLACE CEILING PANELS / GRID AS NECESSARY TO ACCOMMODATE THIS WORK. EXISTING CEILING SHALL REMAIN.
15. ALL INTERIOR WALLS SHALL BE DEMOLISHED AS ARE METAL STUDS IN GYPSUM BOARD FINISHES IN LESS EXPOSED AREAS. NOTES:
16. REMOVE ALL EXISTING WALL, TILE IN TOILET ROOMS SCHEDULE FOR NEWWALL TILE. REPAIR WALLS AS REQUIRED TO BE FLAT AND SMOOTH TO RECEIVE NEW WALL FINISH.
17. REMOVE PARTITIONING BARRIERS AND/OR OTHER WALLS WILL BE REQUIRED TO SEPARATE THE PUBLIC FROM THE CHURCH. THESE ARE SHOWN AS DASHED LINES AND MAY SHOW THAT ALL TEMPORARY WALLS NEEDED.
18. ALL EXIST. GLAZING / POLYCARBONATE INCLUDING SUB-CEILING IN ROOMS WHERE NEW CEILING WORK IS SHOWN SHALL BE REMOVED. INLETS NOTED OTHERWISE.
19. REPAIR ALL FLOOR, WALL, / CEILING FINISHES TO REMAIN WHERE ITEMS WERE REMOVED WITH SIMILAR FINISHES TO MATCH.
20. CONTRACTOR TO REMOVE ALL EXISTING BUILDING SIGNAGE IN CONCOURSE AND MAIN FANTRIAL. VEHICLE SIGNAGE TO BE USED AS TEMPORARY SIGNAGE UNTIL NEWER SIGNAGE IS INSTALLED.
21. CONTRACTOR SHALL REMOVE ALL EXISTING SIGNAGE AND MAY SHOW THAT ALL TEMPORARY WALLS NEEDED.
22. COORDINATE ACCESS DURING DEMOLITION AND CONSTRUCTION PERIODS.
23. COORDINATE ACCESS TO SERVICE AREAS WITH OWNER AS REQUIRED. / COORDINATE REMOVAL AND RELOCATION OF


- (2) EXISTING PLANS HEREIN DESCRIBED ARE DERIVED FROM A COMPILATION OF ORIGINAL BUILDING DOCUMENTS AND RECORDS FOR SUBSEQUENT BUILDING MODIFICATIONS AND RENOVATIONS SPECIFIC TO THE ARCHITECT BY HIS FIRM OR ANOTHER QUALIFIED PROFESSIONAL ENGINEER OR ARCHITECT.
- (3) CONTRACTOR TO MAINTAIN ACCESS TO ALL ADJACENT PROPERTIES AT ALL TIMES.
- (4) COORDINATE ENTRY AND EXIT OF HALL ELEVATOR WITH NEW CONSTRUCTION ON OTHER DRAWINGS SHEET.
- (5) CONTRACTOR TO REMOVE CARPET TILES AND BROODROOM FROM ALL AREAS SCHEDULED FOR FLOOR FINISHES.
- (6) CONTRACTOR TO ALSO BE RESPONSIBLE FOR REMOVAL OF CONCOURSE TO BE CONCOURSE TO DURING RENOVATION TO CONCOURSE TO HOLD ROOM.
- (7) SALVAGEABLE ITEMS SUCH AS BUT NOT LIMITED TO PUMPING MECHANICAL, ELECTRICAL FIXTURES, TROUBLE SHOOTING, AND DOOR AND WINDOW HARDWARE.
- (8) CONTRACTOR TO PROVIDE SMOOTH TRANSITIONS BETWEEN ITEMS TO BE REMOVED AND EXISTING MATERIALS TO REMAIN TO AVOID PERSONAL INJURY OR DAMAGE TO FINISHES TO REMAIN. CONTRACTOR SHALL PHOTO DOCUMENT ALL EXISTING MATERIALS TO BE RECYCLED AND DESTROYED.
- (9) CONTRACTOR TO PROVIDE TEMPORARY SIGNAGE AS REQUEST TO REDIRECT AIRPORT VISITORS OUT OF CONSTRUCTION AREA TO EXITS OR ANY OTHER ALTERNATE PATH OF TRAVEL UNTIL OUT OF CONSTRUCTION AREA.
- (10) CONTRACTOR TO MAINTAIN SECURITY MONITORING.




- SEE ALTERNATE G-I FOR
DEMOLITION THIS AREA

1


$$\overline{1/16'' = 1'-0''}$$






1 FIRST FLOOR BAGGAGE CLAIM DEMOLITION PLAN
1/8" = 1'-0"

GORDON JOHNSON
Architecture
134 Hag Street, Suite 1
Fayetteville, NC 28301
Phone: (910) 222-5186
E-Mail: gordon@johndesign.com
Copyright 2018
Gordon E. Johnson, AIA
Reproduction or publication of this document is prohibited without the express consent of the author.





Fayetteville Regional Airport - Airline Terminal Improvements Part 2
First Floor - Demolition Plan
400 Airport Road
Fayetteville, North Carolina 28306


DRAWN BY:	JDP
REVIEWED BY:	GEJ
DATE:	1-15-18
PROJECT NO.:	1802
REVISIONS	
1	APPENDIX #2 - 8-12-2018
2	5-24-20 MECHANICAL ROOM LET
SHEET NUMBER	
D.12	




D.13









3 MEZZANINE SLAB DEMO PLAN
1/4" = 1'-0"




4 MEZZANINE SLAB @ FLOOR BEAM
1 1/2" = 1'-0"




5 MEZZANINE SLAB @ EXTERIOR WALL
1 1/2" = 1'-0"




6 SECTION @ C116 MECHANICAL MEZZANINE
3/8" = 1'-0"



1a MAIN TERMINAL - NORTH DEMO WALL SECTION
3/8" = 1'-0"
(SEE SECT. 1b/D3.02 BELOW FOR TYP. TEMP. WALL CONSTRUCTION)



2 CONCOURSE 'B' - SOUTH DEMO WALL SECTION
3/8" = 1'-0"



1b MAIN TERMINAL - SOUTH WALL SECTION @ TEMP. WALL
3/8" = 1'-0"


LIST OF STANDARD ABBREVIATIONS			
ADJ.	ADJUSTABLE	LAP	LAPWIRE
ALUM. AL.	ALUMINUM	LVR.	LOOSER
AMAL.	AMERICAN WOODWORKING INST.	MG.	MEDICINE CABINET
BD.	BOARD	MGO.	MASONRY OPENING
BLKS.	BLOCKING	MAG.	MAGNET
BOT.	BOTTOM	MATL.	MATERIAL
BR.	BEDROOM	MEGL.	MECHANICAL
BRK.	BRACING	MLD.	MOLDING
BRK.	BRICK	MIL.	METAL
CHL. CHLS.	CHIMNEYFLASHING	MF.	MANUFACTURER
CHL.	CHIMNEY	MLG.	NOT IN CONTACT
CHG.	CHIMNEY	NTS.	NOT TO SCALE
C.T.	CERAMIC TILE	OV.	ON CENTER
CL.	CENTER LINE	OPEN.	OPENING
C.I.	CAST IRON	PL.	PLATE
CLG.	CEILING	PLAS.	PLASTIC
CMB.	CERAMIC MASONRY UNIT	PLYWOOD.	PLYWOOD
COL.	COLUMN	POLY.	POLYETHYLENE
CONG.	CONCRETE	PT.	PAINT
CRSG.	COARSE	PAR.	PART
CONT.	CONTINUOUS	RAY.	RIGHT OF WAY
COP.	COPPER	R. RAD.	RADIUS
D.S.	DOWNSPOUT	REIN.	REINFORCING
DM.	DIMENSION	R.O.	ROUGH OPENING
DM.	DIMENSION	REQD.	REQUIRED
DN.	DOWN	RM.	ROOM
EA.	EDGE	SHE.	SHEET
E.J.	EXPANSION JOINT	SHE, SHEIR.	SHEATHING
EL.	ELEVATION	SM.	SMALL
EKA.	EXCAVATION	SS.	STAINLESS STEEL
EXS.	EXISTING	SYP.	SOUTHERN YELLOW PINE
EXT.	EXTERIOR	ST.	STEEL
EXP.	EXPANSION	STL.	STEEL
F.B.D.	FINISHED BY OWNER	TB.	TUNNEL BAR
FIBGL.	FIBERGLASS	T.	TOP OF
FOU.	FOUNDATION	T&G.	TONGUE AND GROOVE
FR.	FRAMING	TRK.	TRACK
FL.	FLAGGING	TRD.	TREATED
FL.	FLOOR	TRP.	TYPICAL
FTG.	FOOTING	UNG.	UNLESS OTHERWISE NOTED
GA.	GAUGE	UNPERM.	UNPERMITTED
GALV.	GALVANIZED	V.B.	VAPOR BARRIER
GEN.	GENERAL CONTRACTOR	VERT.	VERTICAL
GR.	GRADE	W.	WALL
GRH, GYP. BD.	GYPSUM WALL BOARD	W/O.	WITHOUT
H.	HEIGHT	W.	WALL
HWR.	HARDWARE	W/O.	WITHOUT
INSAL.	INSULATION	W.	WALL
INT.	INTERIOR	W.	WALL
J.	JOINT	W.	WALL
JST.	JOIST	W/V.	VINYL WALL COVERINGS
L.	LONG	W/F.	WELDED WIRE FABRIC

GENERAL NOTES

1. ALL WORK SHALL BE DONE IN STRICT ACCORDANCE WITH ALL APPLICABLE CODES.
2. THESE CONSTRUCTION DRAWINGS AND SPECIFICATIONS ARE A SET AND SHALL BE DISTRIBUTED INTACT. IF SETS ARE DISASSEMBLED TO OBTAIN BIDS FROM SUB-CONTRACTORS, GENERAL CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR SUB-CONTRACTOR COORDINATION.
3. IF ANY SETS OR DRAWINGS, SPECIFICATIONS OR NOTICES ARE NOT INCLUDED OR CONFLICTS ARE DISCOVERED, THE CONTRACTOR SHALL REQUEST CLARIFICATION FROM THE ARCHITECT OR BID THE HIGHEST PRICE ALTERNATIVE.
4. PROVIDE "MEANS TURNISH AND INSTALL, ALL WORK SHOWN SHALL BE BY THE CONTRACTOR UNLESS SPECIFICALLY STATED AS "TEXTING TO REMAIN" OR "BY OWNER".
5. PRIOR TO BEINGING, THE CONTRACTOR SHALL VISIT SITE TO VERIFY EXISTING CONDITIONS, PRODUCTS TO BE USED, AND QUANTITIES REQUIRED. ALL CONTRACTORS REQUIRED TO FIELD VERIFY ALL EXISTING CONDITIONS FOR ALL TRADES INCLUDING DIMENSIONS, CONFIGURATION AND UTILITY SYSTEMS. BIDDERS SHALL REFLECT ALL CONSTRUCTION NECESSARY TO COMPLETE WORK REQUIRED WITH CONSTRUCTION GIVEN TO PROVIDE THE OWNER A FINISHED WAREHOUSE FACILITY AS INDICATED ON THESE DRAWINGS.
6. CONTRACTOR TO OBTAIN ALL PERMITS REQUIRED BY STATE AND LOCAL AUTHORITIES AS A PART OF HIS OBLIGATION.
7. GENERAL CONTRACTOR DISMISSES WHOLE FROM THE ONE CALL SCHEDULING PRIOR TO PERFORMING ANY UNDERGROUND UTILITY OR EXCAVATION WORK.
8. GENERAL CONTRACTOR SHALL COORDINATE ALL SITE DRAINAGE, DUMPSTER LOCATION, UTILITIES, EXCAVATION WHERE APPLICABLE, ETC. WITH THE AIRPORT MANAGER AND CIVIL ENGINEER.
9. CONCRETE AND CURB SHALL CONFORM TO THE SPECIFICATIONS OF THE AIRPORT AUTHORITY. ALL CONCRETE SHALL BE PLACED AND FINISHED BY THE OWNER'S REPRESENTATIVE.
10. FIRE EXTINGUISHERS SHALL BE PROVIDED A LOCATED FOR EACH BUILDING, STATE AND FEDERAL CODES. SEE 100.00 ON PLANS FOR LOCATIONS.
11. ALL MATERIALS SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS. IT IS GENERAL CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS OF EQUIPMENT AND MATERIAL WITH SUPPLIERS PRIOR TO ORDERING AND/OR INSTALLATION OF ALL PRODUCTS.
12. INTERIOR WALL AND CEILING FINISHES MUST COMPLY WITH CLASS A FIRE/RISQUE DEVELOPMENT IN SPACES LEADING TO AN EXIT AND ENCLOSED CORRIDORS, AND CLASS A IN OFFICES.
13. SUBMIT AND DOCUMENTATION OF ALL MATERIALS AND FINISHES TO BE USED IN ALL PHASES AND IN ALL LOCATIONS CLOSE TO OR BEYOND RECORD.
14. FIRE CALLING SHALL BE PERFORMED AND CERTIFIED BY A SINGLE SOURCE CONTRACTOR FOR CONVEYANCE OF STRUCTURAL, MECHANICAL, ELECTRICAL, AND ARCHITECTURAL ELEMENTS.
15. THE CONTRACTOR SHALL INCLUDE IN HIS BID AND OBTAIN A LICENSE TO DISCOVER BUREAU OR FEDERATED PUMPING, MECHANICAL, ELECTRICAL, OR COMMUNICATIONS UTILITIES THAT REQUIRE RELOCATION, EITHER TEMPORARY OR PERMANENT TO KEEP THE NEAREST PARTS OF THE AIRPORT TERMINAL FACILITY OPERATION DURING ALL REGULAR HOURS OF SERVICE.
16. THE UTILITY SERVICE SHALL NOT BE APPROVED BY THE ARCHITECT AND NECESSARY PERMITS SHALL BE OBTAINED AT LEAST 40 DAYS PRIOR TO THE START OF THE WORK.
17. CONTRACTOR TO INCLUDE IN HIS BID AND ALL COSTS ASSOCIATED WITH HIRING A THIRD PARTY MATERIAL TESTING COMPANY TO PROVIDE ALL SOIL, CONCRETE, GROUT, AND ASPHALT TESTING AS SPECIFIED.
18. ALL DOORS TO BE LOCATED 4' FROM ADJACENT WALL OR CENTERED ON WALL UNLESS OTHERWISE DIMENSIONED.

WALL TYPES (SEE ADDITIONAL DETAILS ON SHEET A5.01)

- (A)  EXISTING WALLS TO REMAIN
- (B)  22 GA METAL STUDS @ 16" O.C. W/ 1/2" GYP DB, EA. SIDE - UOIN.
ALL WALLS EXTEND TO FLOOR/CECK DECK UN.
- (C)  1/2" G6 METAL STUDS @ 16" FLANGE MIN @ 16" O.C. W/ 1/2" GYP SHTS. 4
EPS SYSTEM AS SPECIFIED EXTERIOR. 1" GYP DB, ON MIL PVB
INT. W/ R-10 FIBERGLASS BATT INSULATION. ALL MIL. STUDS TO BE
DESIGNED & SEALED BY A/N/R REGISTERED ENGINEER.
- (D)  1/2" G6 METAL STUDS @ 16" FLANGE MIN @ 16" O.C. W/ 1/2" GYP SHTS. 4
INSULATED METAL PANEL AS SPECIFIED EXTERIOR. 1" GYP DB, ON 6
MIL PVB INT. W/ R-10 FIBERGLASS BATT INSULATION. ALL MIL. STUDS
TO BE DESIGNED & SEALED BY A/N/R REGISTERED ENGINEER.
- (E)  8" CM - FOUNDATION TO FLOOR/CECK DECK UN.
- (F)  ALUMINUM STOREFRONT WINDOW SYSTEM AS SPECIFIED
- (G)  INDICATES 1/2" HR FIRE PARTITION - TENANT SEPARATION.
- (H)  INDICATES 1/2" HR FIRE BARRIER - ELEVATOR / STAIR SHAFT.
- (I)  SIMILAR TO WALL TYPE D" @ 16" O.C. W/ 1/2" GYP DB, HAS CHANNEL UN.
- (J)  8" CM - FOUNDATION TO FLOOR/CECK DECK W/ EPS SYSTEM AS SPECIFIED.
- (K)  METAL LOUVERS AS SHOWN & SPECIFIED.



NO NEW WORK PROPOSED IN THIS
AREA UNLESS SPECIFICALLY NOTED
OTHERWISE; SEE MECH. / ELECT.
PLANS FOR THOSE DETAILS.

1 FIRST FLOOR PLAN
N.T.S.

**GORDON
JOHNSON**
Architecture

854 Hog Street, Suite 4
Fayetteville, NC 28301
Phone: (910) 223-2188
E-Mail: gordon@gordonjohnsonarchitecture.com
gordonjohnsonarchitecture.com
© Copyright 2019
Gordon E. Johnson, AIA
Reproduction or publication of this document is
not permitted without the expressed consent of
the owner.

Legal Disclaimer:
This document is intended to comply with the requirements of the American with Disabilities Act (ADA). However, Architects and Engineers are not licensed to interpret law or give advice concerning law. The owner should have this document reviewed



Fayetteville Regional Airport - Airline Terminal Improvements Part 2


Overall First Floor Plan

400 Airport Road
Fayetteville, North Carolina 28306

DRAWN BY: JDP
REVIEWED BY: GEJ
DATE: 7-15-19
PROJECT NO.: 1808


REVISIONS	
△	
△	
△	
SHEET NUMBER	

A|.|O




REVISIONS	
△	
△	
△	
SHEET NUMBER	


A|.3




2 TYPICAL GUARDRAIL / HANDRAIL DETAIL @ STAIR B117 & B118
3/4" = 1'-0"




3 EXISTING STAIR B117 ENLARGED PLAN
1/4" = 1'-0"



4 EXISTING STAIR B118 ENLARGED PLAN
1/4" = 1'-0"



1 SECOND FLOOR PLAN
N.T.S.



1 SECOND FLOOR PLAN
N.T.S.

**GORDON
JOHNSON**
Architecture

134 Mag Street, Suite 1
Fayetteville, NC 28301
Phone: (910) 272-5186
Fax: (910) 272-5186
E-Mail: gordon@johndsonarchitecture.com
Copyright 2018
Gordon E. Johnson, AIA

Reproduction or publication of this document is prohibited without the express consent of the owner.

GORDON ELLISON JOHNSON
REGISTERED ARCHITECT
6184
7-15-18
NORTH CAROLINA
FAYETTEVILLE, N.C.

Fayetteville Regional Airport - Airline Terminal Improvements Part 2
Partial Second Floor Plan - Main Terminal

400 Airport Road
Fayetteville, North Carolina 28306

DRAWN BY: JDC
REVIEWED BY: GEJ
DATE: 1-15-18
PROJECT NO.: 1802

REVISIONS
1-15-18
1-15-18
1-15-18

SHEET NUMBER
A1.21




- 1) REMOVE ALL EXISTING CEILINGS & SUB-CEILINGS WHERE NEW CEILING FINISHES ARE SHOWN
- 2) REMOVE AND REPLACE EXISTING CEILING PANELS / FINISHES TO REMAIN TO ACCOMMODATE NEW SPRINKLER INSTALLATION






1 FIRST FLOOR REFLECTED CEILING PLAN - MAIN TERMINAL
1/8" = 1'-0"

GORDON JOHNSON
Architecture
134 Mag Street, Suite 1
Fayetteville, NC 28301
Phone: (910) 222-5186
Fax: (910) 222-5186
E-Mail: gordon@johnsonarchitecture.com
Copyright 2018
Gordon E. Johnson, AIA
Reproduction or publication of this document is prohibited without the express consent of the author.



Fayetteville Regional Airport - Airline Terminal Improvements Part 2
Reflected Ceiling Plan - First Floor Main Terminal
400 Airport Road
Fayetteville, North Carolina 28306

DRAWN BY:	JDP
REVIEWED BY:	GEJ
DATE:	1-15-18
PROJECT NO.:	18020
REVISIONS	
SHEET NUMBER	AI.32



**GORDON
JOHNSON**
Architecture

134 Mag Street, Suite 1
Fayetteville, NC 28301
Phone: (910) 227-5100
Fax: (910) 227-5101
E-Mail: gordon@johnsonarchitecture.com
Copyright 2018
Gordon E. Johnson, AIA
Reproduction or publication of this document is
unauthorized without the express consent of
the author.

Legal Disclaimer:
This document is intended to be used for informational purposes only. It is not intended to be used as a basis for any legal action or as a substitute for professional advice. The user assumes all liability for any and all consequences of any use of this document.




Fayetteville Regional Airport - Airline Terminal Improvements Part 2
Reflected Ceiling Plan - First Floor Concourse B
400 Airport Road
Fayetteville, North Carolina 28306

DRAWN BY: JDP
REVIEWED BY: GEJ
DATE: 1-15-18
PROJECT NO.: 1802


REVISIONS	
1	
2	
3	

SHEET NUMBER
A1.33



1 SECOND FLOOR REFLECTED CEILING PLAN - MAIN TERMINAL
1/8" = 1'-0"

GORDON JOHNSON
Architecture
134 Hag Street, Suite 1
Fayetteville, NC 28301
Phone: (910) 272-5186
Fax: (910) 272-5186
E-Mail: gordon@johnsonarchitecture.com
Copyright 2018
Gordon E. Johnson, AIA
Reproduction or publication of this document is prohibited without the express consent of the author.



Fayetteville Regional Airport - Airline Terminal Improvements Part 2
Reflected Ceiling Plan - Second Floor Main Terminal

400 Airport Road
Fayetteville, North Carolina 28306


DRAWN BY: JDP
REVIEWED BY: GEJ
DATE: 1-15-18
PROJECT NO.: 1802

REVISIONS
1-30-18 BY: JDP, GEJ
8-5-20 BY: JDP, GEJ
4-3-20 BY: JDP, GEJ

SHEET NUMBER
A1.34



**GORDON
JOHNSON**
Architecture
134 Wag Street, Suite 1
Fayetteville, NC 28301
Phone: (919) 272-5186
E-Mail: gordon@johnsonarchitecture.com
Copyright 2018
Gordon E. Johnson, AIA
Reproduction or publication of this document is
unauthorized without the expressed consent of
the author.



Fayetteville Regional Airport - Airline Terminal Improvements Part 2
Reflected Ceiling Plan - Second Floor Concourse B

400 Airport Road
Fayetteville, North Carolina 28306

DRAWN BY: JDP
REVIEWED BY: GEJ
DATE: 1-15-18
PROJECT NO.: 1802

REVISIONS	
1	
2	
3	
4	
5	

SHEET NUMBER
A1.35

FINISH SCHEDULE - MAIN TERMINAL GROUND FLOOR

#	ROOM	FLOORS		WALLS		CEILING		REMARKS
		MATERIAL	BASE	MATERIAL	FINISH	MATERIAL	FINISH	
A100	TICKETING VESTIBULE	CPT-2	RB-1	GYP. BD.	P-1	ACP-1	FACTORY	
A101	TICKETING LOBBY	EXG. TERRAZZO						①
A102	WHEELCHAIR STORAGE	CPT-1				GYP. BD.	P-4	
A103	TICKETING COUNTER							
A104	TICKETING COUNTER							
A105	TICKETING COUNTER							
A106	TICKETING COUNTER							
A107	BAGGAGE SCREENING	VCT-1		EXG. CMU		ACP-1	FACTORY	CLEAN & POINT UP EXG. CMU PRIOR TO APPLYING PAINT FINISH
A108	CORRIDOR			GYP. BD.				
A109	OFFICE							
A110	CORRIDOR							
A111	OFFICE							
A112	OFFICE							
A113	OFFICE							
A114	LOCKERS							
A115	STORAGE							
A116	TRAINING / LOUNGE							
A117	BAG STORAGE	ROOM NAME & NUMBER DELETED						
A118	TOILET	CT-3	CTB-1	CT-4	FACTORY	ACP-1	FACTORY	
A119	CORRIDOR	VCT-1	RB-1	GYP. BD.	P-1			
A120	OFFICE	ROOM NAME & NUMBER DELETED						
A121	OFFICE	VCT-1	RB-1	GYP. BD.	P-1	ACP-1	FACTORY	
A122	OFFICE	VCT-1	RB-1	GYP. BD.	P-1	ACP-1	FACTORY	
A123	TRAINING / LOUNGE							
A124	LOCKER	ROOM NAME & NUMBER DELETED						
A125	TRAINING	ROOM NAME & NUMBER DELETED						
A126	BAG STORAGE	VCT-1	RB-1	GYP. BD.	P-1	ACP-1	FACTORY	
A127	CORRIDOR							
A128	MECHANICAL ROOM	EXG.	EXG.	EXG.	EXG.	EXG.	EXG.	
A129	MECHANICAL ROOM	SEALED CONC.	NONE	CMU	P-1	NONE	P-4	
A130	PILOTS AIRLINE OFFICE	EXG.	EXG.	EXG.	EXG.	EXG.	EXG.	
A131	STORAGE	VCT-1	RB-1	GYP. BD.	P-1	ACP-1	FACTORY	
B100	VESTIBULE	CPT-2						
B101	MAIN LOBBY	TR-1 / TR-2						
B102	DISPLAY A					GYP. BD.	P-4	
B103	DISPLAY B							
B104	ELEVATOR		FACTORY	FACTORY	FACTORY	FACTORY	FACTORY	
B105	TELO	EXG.	EXG.	EXG.	EXG.	EXG.	EXG.	
B106	ELECTRICAL	VCT-1	RB-1	EXG. GYP. BD.	P-1	ACP-1	FACTORY	
B107	JANITOR	VCT-1	EXG.	EXG.	EXG.	EXG.	EXG.	
B108	STORAGE	EXG.						
B109	CORRIDOR	TR-1 / TR-2	RB-1	GYP. BD.	P-1	ACP-1	FACTORY	
B110	ELEVATOR		FACTORY	FACTORY	FACTORY	FACTORY	FACTORY	
B111	ELEVATOR EQUIPMENT	VCT-1	RB-1	GYP. BD.	P-1	ACP-1	FACTORY	
B112	STORAGE	TR-1						
B113	WOMEN	TR-1 / TR-2	TR-1 / TR-2	CT-1 / CT-2	FACTORY			TERRAZZO WALL BASE TO MATCH COLOR OF ADJACENT TERRAZZO FLOOR
B114	MEN							TERRAZZO WALL BASE TO MATCH COLOR OF ADJACENT TERRAZZO FLOOR
B115	FAMILY TOILET	TR-1						
B116	VENDING	TR-1 / TR-2	RB-1	EXG.	P-1	NONE	NONE	
B117	STAIR	TR-1						TR-1 ON STAIR TREADS / REERS
B118	STAIR							TR-1 ON STAIR TREADS / REERS
B119	JANITOR	VCT-1		GYP. BD.		ACP-1	FACTORY	
B119A	STORAGE							
B120	CONFERENCE ROOM	CPT-1	RB-1	EXG.	EXG.	EXG. GYP. BD.	SEE RCP PLAN	SEE RCP PLAN
B121	STORAGE	EXG.	EXG.			EXG.	EXG.	
B122	LOUNGE							
B123	PROJECTION ROOM							
B124	WOMEN							
B125	MEN							
B126	ELECTRICAL							
B127	ELECTRICAL							
B128	CORRIDOR		RB-1	EXG. GYP. BD.	P-1	ACP-1	FACTORY	
B129	TELO	SDT-1		GYP. BD. / CMU				
B130	TELO	EXG.	EXG.	EXG.	EXG.	EXG.	EXG.	
C100	BAGGAGE CLAIM VESTIBULE	CPT-2	RB-1	GYP. BD.	P-1	ACP-1	FACTORY	
C101	OFFICE	CPT-1						
C102	BAGGAGE LOBBY	EXG.		EXG. GYP. BD.				
C103	BAGGAGE CLAIM							
C104	STORAGE	VCT-1						
C105	MEN	TR-1 / TR-2	TR-1 / TR-2	CT-1 / CT-2	FACTORY			
C106	WOMEN							
C107A	OFFICE	CPT-1	RB-1	GYP. BD.	P-1			
C107B	RENTAL COUNTER							
C108A	OFFICE							
C108B	RENTAL COUNTER							
C109A	OFFICE							
C109B	RENTAL COUNTER							
C110A	OFFICE							
C110B	RENTAL COUNTER							
C111A	OFFICE							
C111B	RENTAL COUNTER							
C112	OFFICE			EXG. GYP. BD.				
C113	OFFICE							
C114	OFFICE							
C115	STORAGE	VCT-1		GYP. BD. / CMU				
C116	MECHANICAL	EXG. CONC.	NONE	EXG. CMU		NONE	NONE	

FINISH SCHEDULE - CONCOURSE B GROUND FLOOR

#	ROOM	FLOORS		WALLS		CEILING		REMARKS
		MATERIAL	BASE	MATERIAL	FINISH	MATERIAL	FINISH	
D100	ELEVATOR	TR-1 / TR-2	FACTORY	FACTORY	FACTORY	FACTORY	FACTORY	
D101	STAIR	EXG.	EXG.	EXG.	EXG.	ACP-1		
D102	STORAGE							
D103	TEMPORARY OFFICE					EXG.	EXG.	
D104	STORAGE							
D105	STORAGE							
D106	HANDICAP SHOWER							
D107	ELECTRICAL							
D108	CORRIDOR							
D109	ELECTRICAL					ACP-1	FACTORY	
D110	CORRIDOR					EXG.	EXG.	
D111	MECHANICAL							
D112	STORAGE					ACP-1	FACTORY	
D113	WOMEN	CT-3	CTB-1	CT-4	FACTORY	ACP-1	FACTORY	
D114	MEN							
D115	ELECTRICAL	EXG.	EXG.	EXG.	EXG.	EXG.	EXG.	
D116	LOUNGE	VCT-1	RB-1	GYP. BD.	P-1	ACP-1	FACTORY	
D117	EXERCISE	EXG.	EXG.	EXG.	EXG.			
D118	STAIR					NONE	NONE	
D119	UNisex TOILET	CT-3	CTB-1	CT-4	FACTORY	ACP-1	FACTORY	
D120	GUSTODIAN	EXG.	RB-1	GYP. BD.	P-1	NONE	NONE	
D121	STAIR		EXG.	EXG.	EXG.			
D122	STORAGE					ACP-1	FACTORY	
D123	OFFICE							
D124	OFFICE							
D125	OFFICE							
D126	TSA							
D127	TELO					EXG.	EXG.	
D128	OFFICE					ACP-1	FACTORY	
D129	OFFICE							
D130	STORAGE							
D131	TSA							
D132	CORRIDOR							
D133	EXTERIOR CORRIDOR					EXG.	EXG.	
D134	OFFICE					ACP-1	FACTORY	
D135	OFFICE							
D136	OFFICE							
D137	LOCKER							
D138	STORAGE							
D139	OFFICE							
D140	CORRIDOR							
D141	MAINTENANCE SHOP					EXG.	EXG.	
D142	STORAGE							
D143	STORAGE					ACP-1	FACTORY	
D144	STAIR					NONE	NONE	
D145	EXTERIOR CORRIDOR					EXG.	EXG.	
D146	STAIR					NONE	NONE	
D147	STORAGE					ACP-1	FACTORY	
D148	ELECTRICAL					EXG.	EXG.	
D149	JANITOR	CT-3	CTB-1	GYP. BD.	P-1	ACP-1	FACTORY	

FINISH SCHEDULE NOTES

- 1) SEE FLOOR PLAN FOR FLOOR FINISHES, LOCATIONS, AND TYPE, REPAIR / ADD TERRAZZO FLOORING TO MATCH EXG. WHERE INDICATED
- 2) GATE LOUNGES AT SECOND FLOOR CONCOURSE B (E200) SHOULD BE PAINT P-5 BELOW WINDOW SILL (APPROX. 5'-07" AND PAINT P-1 FROM WINDOW SILL TO CEILING ABOVE

GENERAL FINISH NOTES


- A) SEE RCP PLANS FOR CEILING HEIGHTS & SPECIFIC FINISH DETAILS
- B) CLEAN & POINT UP ALL EXG. CMU SCHEDULED FOR A PAINT FINISH

FINISH LEGEND


ITEM	DESCRIPTION
CPT-1	CARPET TILE AS SPECIFIED
CPT-2	SHAW CONTRACT STEPPIN' OUT WELCOME II, 24" X 24" CARPET TILE ST03; COLOR: MULTICOLOR 31481
VCT-1	ARMSTRONG STANDARD EXCELEN VINYL COMPOSITION TILE, 12" X 12", COLOR #5121 FIELD GRAY
SDT-1	FLEXCO ESD 12" X 12", COLOR #140 WHITE/GRAY
TR-1	DAVID ALLEN COMPANY FAYETTEVILLE AIRPORT OHDAC16 124050616 (WHITE)
TR-2	DAVID ALLEN COMPANY FAYETTEVILLE AIRPORT OHDAC16 120391416 (CREAM)
TR-3	DAVID ALLEN COMPANY FAYETTEVILLE AIRPORT OHDAC16 120391416 (BROWN)
TR-4	DAVID ALLEN COMPANY FAYETTEVILLE AIRPORT OHDAC16 120050616 (BLUE)
TR-5	MATCH EXG. WHITE FINISH
TR-6	MATCH EXG. GRAY FINISH
CT-1	CERAMIC TILE 12"x24" DALTILE ESTA VILLA COTTAGE BROWN EV19 IN BRICK PATTERN (SEE INTERIOR ELEVATIONS A1.01)
CT-2	CERAMIC TILE 2'x4" MOSAIC DALTILE ESTA VILLA TERRACE BEIGE EV18 (SEE INTERIOR ELEVATIONS A1.01)
CT-3	CERAMIC TILE 2'x2" UNGLAZED MOSAIC BY DALTILE, COLOR TO BE UPTOWN TAPE SPECKLE D202 4 ARTISAN BROWN SPECKLE D204 IN A 6" X 50' CHECKERBOARD PATTERN
CT-4	CERAMIC TILE 12"x12" DALTILE ESTA VILLA TERRACE BEIGE EV18 IN BRICK PATTERN
CTB-1	CERAMIC TILE BASE - DALTILE 2'x2" MB-5A SHAPE IN ARTISAN BROWN SPECKLE D204
RB-1	RUBBER BASE AS SPECIFIED
MIS-1	METAL TRANSITION STRIP - SCHLUTER QUADCEQ EB BRUSHED STAINLESS STEEL
P-1	LATEX EGGHELL PAINT, SHERWIN-WILLIAMS, SK 6141 PANDA WHITE
P-2	LATEX SEMI-GLOSS PAINT, SHERWIN-WILLIAMS, SK 6339 FIRED BRICK
P-3	LATEX SEMI-GLOSS PAINT, SHERWIN-WILLIAMS, SK 1020 BLACK FOX
P-4	LATEX FLAT PAINT, SHERWIN-WILLIAMS, SK 1751 HIGH REFLECTIVE WHITE
P-5	PRE INDUSTRIAL PRE-CATALYZED WATER BASED EPOXY BY SHERWIN WILLIAMS OR APPROVED EQUAL IN SK 1527 NANTUCKET DUNE
P-6	MACROPOXY 646-100 BY SHERWIN WILLIAMS IN SK 6141 PANDA WHITE
P-7	ALKYD ACRYLIC SEMI-GLOSS PAINT, SHERWIN WILLIAMS, SK 6314 LUXURIOUS RED
ACP-1	ACOUSTICAL CEILING PANEL - USG MARS CLIMA PLUS SLT 24" X 24" WITH DAXDAL IS/6" SUSPENSION GRID
ACP-2	ACOUSTICAL CEILING PANEL - MESH GRILL
PL-1	PLASTIC LAMINATE - WILSONART, WINDSHEPT PEKTER 4785-60
SS-1	SOLID SURFACE - WILSONART, JOVIAN 421CM (VANITY BOWLS TO BE WILSONART OVAL ADA VANITY BV512 CREAM)

FINISH SCHEDULE - CONCOURSE B / MAIN TERMINAL SECOND FLOOR


#	ROOM	FLOORS		WALLS		CEILING		REMARKS
	MATERIAL	BASE	MATERIAL	FINISH	MATERIAL	FINISH		
E201	BRIDGE VESTIBULE	CPT-1	RB-1	EXG.	P-1	ACP-1	FACTORY	CARPET MATERIAL PROVIDED BY OWNER
E202	STAIR	EXG.	EXG.					
E203	GATE LOUNGE	CPT-1	RB-1		P-1 / P-5			
E204	VENDING	EXG.	EXG.		EXG.			
E205	MECHANICAL					NONE	NONE	
E206	FAMILY TOILET	TR-1	TR-1	CT-4	FACTORY	ACP-1	FACTORY	
E207	WOMEN	TR-1 / TR-2	TR-1 / TR-2	CT-1				
E208	FOYER	EXG.	EXG.	EXG.	EXG.	EXG.	EXG.	
E209	FOYER							
E210	LAVATORY	TR-1 / TR-2	TR-1 / TR-2	CT-1	FACTORY	ACP-1	FACTORY	
E211	MEN							
E212	ELECTRICAL	EXG.	EXG.	EXG.	EXG.	EXG.	EXG.	
E213	NURSERY	CPT-1	RB-1		P-1	ACP-1	FACTORY	CARPET MATERIAL PROVIDED BY OWNER
E214	JANITOR	EXG.	EXG.			EXG.	EXG.	
E215	STAIR					ACP-1	FACTORY	
E216	FOYER	CPT-1	RB-1					CARPET MATERIAL PROVIDED BY OWNER
E217	TOILET	EXG.	EXG.					
E218	PILOTS LOUNGE	CPT-1	RB-1					CARPET MATERIAL PROVIDED BY OWNER
E219	PASSAGEWAY	EXG.		EXG. / GYP. BD.				
E220	USD	CPT-1		EXG.	EXG.			CARPET MATERIAL PROVIDED BY OWNER
E221	MECHANICAL	EXG.	EXG.			EXG.	EXG.	
E222	STORAGE					ACP-1	FACTORY	
E223	GATE LOUNGE	CPT-1	RB-1		P-1 / P-5			CARPET MATERIAL PROVIDED BY OWNER
E224	STAIR	EXG.	EXG.		P-1			
E225	BRIDGE VESTIBULE	CPT-1	RB-1					CARPET MATERIAL PROVIDED BY OWNER
E226	GATE LOUNGE				P-1 / P-5			
E227	BRIDGE VESTIBULE				P-1			CARPET MATERIAL PROVIDED BY OWNER
E228	STAIR	EXG.	EXG.					
E229	STAIR							
E230	BRIDGE VESTIBULE	CPT-1	RB-1					CARPET MATERIAL PROVIDED BY OWNER
E231	GATE LOUNGE				P-1 / P-5			
E232	ELEVATOR FOYER			GYP. BD.				CARPET MATERIAL PROVIDED BY OWNER
E234	STORAGE			EXG.	EXG.	EXG.	EXG.	CARPET MATERIAL PROVIDED BY OWNER
E235	COVERED PORCH	EXG.	EXG.	EXG.				
F101	CONNECTOR CORRIDOR		RB-1	GYP. BD.	P-1			
F102	CAFE		EXG.	EXG.	EXG.			
F103	SALES							
F104	KITCHEN							
F105	JANITOR							
G101	WAITING	TR-1, TR-2, TR-3, TR-4	RB-1	GYP. BD.	P-1 / P-5	ACP-2	FACTORY	
G102	CHECKPOINT				P-1	ACP-1		
G103	TSA STORAGE	VC-1						
G104	TSA SEARCH							
G105	EXIT LANE	TR-1, TR-2, TR-3, TR-4						
G106	BYPASS EXIT							
G107	POLICE STATION	CPT-1						
G108	TOILET	CT-3	CTB-1	CT-4	FACTORY			
G109	JANITOR							
G110	FAMILY TOILET	TR-1 / TR-2	TR-1 / TR-2	CT-1 / CT-2				
G111	WOMEN							
G112	MEN							
G113	UTILITY	SEALED CONC.	RB-1	GYP. BD.	P-1			
G114	VESTIBULE	TR-1 / TR-2				GYP. BD.	P-4	
G115	VESTIBULE	TR-1, TR-2, TR-3, TR-4				ACP-1	FACTORY	
G116	MANAGER'S OFFICE LOBBY	CPT-1						
G117	OFFICE							
G118	CONFERENCE							
G119	OFFICE							
G120	RECEPTION							
G121	ADMINISTRATIVE ASSISTANT							
G122	LOUNGE	TR-1 / TR-2						
G123	TOILET	TR-1	TR-1	CT-4	FACTORY			
G124	STORAGE	VC-1	RB-1	GYP. BD.	P-1			
G124A	SERVER	SDT-1						
G125	BADGING	CPT-1						
G126	OFFICE							
G127	UTILITY	VC-1						
G128	OFFICE	CPT-1						
G129	OFFICE							
G130	OFFICE							
G131	OFFICE							
G132	CORRIDOR							
G133	ELEVATOR EQUIPMENT	VC-1						




1 NORTH ELEVATION
1/8" = 1'-0" (CANOPY NOT SHOWN FOR CLARITY)




2 NORTH ELEVATION (EAST SIDE)
1/8" = 1'-0" (CANOPY NOT SHOWN FOR CLARITY)




3 SOUTH ELEVATION (EAST SIDE)
1/8" = 1'-0"




4 SOUTH ELEVATION
1/8" = 1'-0"




5 WEST ELEVATION
1/8" = 1'-0"




6 EAST ELEVATION
1/8" = 1'-0"




1 SOUTHEAST CONCOURSE 'B' ELEVATION
1/8" = 1'-0"




2 NORTHWEST CONCOURSE 'B' ELEVATION
1/8" = 1'-0"




3 SOUTHWEST CONCOURSE 'B' ELEVATION
1/8" = 1'-0"




1 BUILDING SECTION
3/8" = 1'-0"




1 SECTION @ MAIN TERMINAL LOBBY ADDITION - EAST SIDE
3/8" = 1'-0"




2 SECTION @ MAIN TERMINAL LOBBY ADDITION - WEST SIDE
3/8" = 1'-0"







1 SECTION @ TICKETING
3/8" = 1'-0"




1 CONC. B ELEVATOR SECTION (ADD ALTERNATE)
3/8" = 1'-0"




2 CONC. B ELEVATOR SECTION (ADD ALTERNATE)
3/8" = 1'-0"




3 CONC. B ELEVATOR SECTION (ADD ALTERNATE)
3/8" = 1'-0"




5 EIFS REVEAL DETAIL
1 1/2" = 1'-0"




4 SECTION @ ROOF HATCH
3/4" = 1'-0"




1 MAIN TERMINAL ELEVATOR B110
3/4" = 1'-0"




2 MECHANICAL ROOM A129
3/4" = 1'-0"




3 BAGGAGE CLAIM VESTIBULE C100
3/4" = 1'-0"




1 SECTION @ DOWN ESCALATOR @ B103 DISPLAY B (UP ESCALATOR SIM.)
3/8" = 1'-0"




2 SECTION @ DOWN ESCALATOR LOBBY (UP ESCALATOR SIM.)
3/8" = 1'-0"




3 FRAMING DETAIL
3" = 1'-0"




5 SECTION @ DOWN ESCALATOR (UP ESCALATOR SIM.)
3/8" = 1'-0"




6 SECTION @ DOWN ESCALATOR (UP ESCALATOR SIM.)
3/8" = 1'-0"




7 SECTION @ DOWN ESCALATOR (UP ESCALATOR SIM.)
3/8" = 1'-0"



4 SECTION BETWEEN ESCALATORS
3/8" = 1'-0"




$$1/4'' = 1'-0''$$


DOOR SCHEDULE NOTES

1) PAINT ALL EXISTING FRAMES RECEIVING NEW DOORS

HARDWARE SETS

SET #1: MANUFACTURER'S STANDARD LOCKING HARDWARE

SET #2: 1) CONTINUOUS ALUMINUM GEARED HINGE

- 1) ENTRANCE LOCKSET W/ PANIC DEVICE
- (COMBO LOCK @ DOOR D10)
- (NO PANIC DEVICE @ D07)
- (ALARM @ DOOR D10)
- 1) WEATHER STRIP
- 1) ALUMINUM THRESHOLD
- 1) CLOSER
- 1) ELECTRIC STRIKE W/ 2 PROXY READERS @ DOORS A10/C

SET #3: 6) BUTT HINGES

- 1) ENTRANCE LOCKSET W/ PANIC DEVICE (ACTIVE LEAF)
- 1) TOP & BOTTOM FLUSH BOLTS (INACTIVE LEAF)
- 1) CLOSER (ACTIVE LEAF)
- 1) MAG LOCK (ACTIVE LEAF) W/ 2 PROXY READERS & KEYPAD SWITCH OVERIDE
- 2) DOOR SILENCERS

SET #4: 3) BUTT HINGES

- 1) ENTRANCE LOCKSET W/ PANIC DEVICE
- 1) CLOSER W/ HOLD OPEN
- 3) DOOR SILENCERS

SET #5: 3) BUTT HINGES

- 1) ENTRANCE LOCKSET W/ PANIC DEVICE
- 1) ELECTRIC LATCH W/ 2 PROXY READERS
- 1) CLOSER
- 3) DOOR SILENCERS

SET #6: 3) BUTT HINGES

- 1) OFFICE LOCKSET
- 1) CLOSER W/ HOLD OPEN
- 3) DOOR SILENCERS

SET #7: 3) BUTT HINGES

- 1) OFFICE LOCKSET
- 3) DOOR SILENCERS
- 1) WALL STOP

SET #8: 3) BUTT HINGES

- 1) PROXY SET
- 1) CLOSER
- 3) DOOR SILENCERS

SET #9: 2) CONTINUOUS ALUMINUM GEARED HINGES

- 1) ENTRANCE LOCKSET (ACTIVE LEAF)
- 1) TOP & BOTTOM FLUSH BOLTS (INACTIVE LEAF)
- 1) CLOSER (ACTIVE LEAF)
- 1) WEATHER STRIP
- 1) ALUMINUM THRESHOLD

SET #10: 3) BUTT HINGES

- 1) KEYPAD DEAD BOLT CYLINDER @ TRUMB TUN
- 1) CLOSER
- 3) DOOR SILENCERS

SET #11: 4) BUTT HINGES

- 1) STOREROOM LOCKSET
- 1) CLOSER
- 3) DOOR SILENCERS

SET #12: 3) BUTT HINGES

- 1) STOREROOM LOCKSET
- 1) WALL STOP
- 3) DOOR SILENCERS
- 1) 8" X 34" 55. DOOR PLATE

SET #13: 2) OFFSET HINGES

- 1) TRUMB LATCH CYLINDER
- 1) CLOSER

SET #14: REUSE EXISTING HINGES

- 1) STOREROOM LOCKSET
- 1) CLOSER
- 3) DOOR SILENCERS

SET #15: 1) CONTINUOUS ALUMINUM GEARED HINGE

- 1) PASSAGE LOCKSET
- 1) CLOSER
- 1) WEATHER STRIP
- 1) ALUMINUM THRESHOLD

SET #16: 1) CONTINUOUS ALUMINUM GEARED HINGE

- 1) STOREROOM LOCKSET
- 1) CLOSER
- 1) WEATHER STRIP
- 1) ALUMINUM THRESHOLD

SET #17: REUSE EXISTING HINGES

- 1) PASSAGE LOCKSET W/ PANIC DEVICE
- 1) CLOSER
- 3) DOOR SILENCERS

SET #18: 2) OFFSET HINGES

- 1) ENTRANCE LOCKSET W/ PANIC DEVICE
- 1) CLOSER
- 1) KICK-DOWN STOP @ DOOR G15

SET #19: 3) BUTT HINGES


- 1) PUSH PLATE / PULL HANDLE
- 1) CLOSER
- 1) 8" X 34" 55. DOOR PLATE
- 3) DOOR SILENCERS


SET #20: 2) CONCEALED TOP & BOTTOM HINGES

- 2) CONCEALED OVERHEAD CLOSERS
- 2) PUSH / PULL BARS
- 2) KEY CYLINDERS W/ TRUMB LATCH TURNS


SET #21: 2) CONTINUOUS ALUMINUM GEARED HINGE

- 2) EXIT DEVICE W/ KEYPAD CYLINDER @ W/ ELECTRIC RETRACTING (TONGE)
- 2) CLOSER
- 1) CENTER POST
- 1) HOPK. ACTUATOR @ ACTUATOR BUTTON ON RIGHT HAND EXIT DOOR @ COORDINATE W/ ELECTRIC EXIT DEVICE (MAX HOLD OPEN FOR 5 SEC.)





2 ENLARGED TERRAZZO FLOOR PATTERN PLAN - FIRST FLOOR MAIN TERMINAL
1/8" = 1'-0"



1 TERRAZZO FLOOR PATTERN PLAN - FIRST FLOOR MAIN TERMINAL
1/16" = 1'-0"

**GORDON
JOHNSON**
Architecture

434 Mag Street, Suite 1
Fayetteville, NC 28301
Phone: (910) 277-5186
Fax: (910) 277-5186
E-Mail: gordon@johnsonarchitect.com
Copyright © 2018
Gordon E. Johnson, AIA
Reproduction or publication of this document is prohibited without the expressed consent of the owner.

Fayetteville Regional Airport - Airline Terminal Improvements Part 2

Floor Finish Plan - Terrazzo Pattern


First Floor Main Terminal

400 Airport Road
Fayetteville, North Carolina 28306


DRAWN BY: JDP
REVIEWED BY: GEJ
DATE: 1-15-18
PROJECT NO.: 1802

REVISIONS


SHEET NUMBER
A6.01




1 TERRAZZO FLOOR PATTERN PLAN - SECOND FLOOR MAIN TERMINAL
1/8" = 1'-0"




2 TERRAZZO FLOOR PATTERN DETAIL - SECOND FLOOR MAIN TERMINAL
1/8" = 1'-0"




3 TERRAZZO FLOOR PATTERN DETAIL - SECOND FLOOR MAIN TERMINAL
1/8" = 1'-0"




1 TYPICAL TOILET ROOM ELEVATION
3/8" = 1'-0"




2 TYPICAL TOILET ROOM ELEVATION
3/8" = 1'-0"




3 TYPICAL INDIVIDUAL / FAMILY TOILET ROOM ELEVATION
3/8" = 1'-0"




4 TYPICAL TOILET ROOM SINK SECTION
1" = 1'-0"




6 LOUNGE CASEWORK ELEVATION @ TICKETING OFFICES
3/8" = 1'-0"




7 LOUNGE CASEWORK ELEVATION @ LOWER LEVEL CONC. B
3/8" = 1'-0"




5 TYPICAL TOILET ROOM COUNTER SECTION
1" = 1'-0"




8 LOUNGE CASEWORK ELEVATION @ MANAGER'S OFFICE
3/8" = 1'-0"



9 RECEPTION COUNTER SECTION @ MANAGER'S OFFICE
3/8" = 1'-0"




10 TYP. WALL SHELVING ELEVATION
3/8" = 1'-0"




11 RECEPTION COUNTER / LOUNGE PLAN @ MANAGER'S OFFICE
3/8" = 1'-0"

12 DELETED
13 DELETED


SEE A7.03 FOR RENTAL COUNTER DETAILS
SEE A7.02 FOR TICKETING COUNTER DETAILS




14 COUNTER @ TRAINING / LOUNGE A123
3/8" = 1'-0"




3 TYP. TICKETING CASEWORK END ELEVATION
3/4" = 1'-0"




2 TYP. TICKETING CASEWORK REAR ELEVATION - 8 TOTAL
3/4" = 1'-0"




1 TYP. TICKETING CASEWORK FRONT ELEVATION - 8 TOTAL
3/4" = 1'-0"




8 FLOOR PLAN - TICKETING AREA
1/8" = 1'-0"




5 PLAN DETAIL
3" = 1'-0"




7 PLAN DETAIL
3" = 1'-0"




4 TYP. TICKETING CASEWORK TOP ELEVATION
3/4" = 1'-0"




6 TICKETING CASEWORK SECTION
3/4" = 1'-0"




9 TICKETING CASEWORK SECTION
3/4" = 1'-0"



12 TICKETING CASEWORK SECTION
1 1/2" = 1'-0"




11 TICKETING CASEWORK SECTION @ SCALE BASE
1 1/2" = 1'-0"




10 TICKETING CASEWORK SECTION @ SCALE BASE
1 1/2" = 1'-0"


- GENERAL NOTES
- CONSTRUCTION DETAILS TO BE SIMILAR TO DETAILS SHOWN ON A152.
 - PROVIDE 4 INSTALL MONITOR / KEYBOARD STANDS AT LOCATIONS LISTED BELOW:
 - AT FOUR NEW GATE ROOMS 8
 - AT THREE EXISTING GATE ROOMS 6
 - AT EIGHT TICKETING COUNTERS 16
 - AT FOUR DOUBLE RENTAL COUNTERS 8
 - AT SINGLE RENTAL COUNTER 1
 - TOTAL NUMBER OF MONITOR / KEYBOARD STANDS 31
 - MONITOR / KEYBOARD STANDS TO BE "AUTORISE HEIGHT ADJUSTABLE POINT OF SALE MOUNT" AS SOLD BY WWW.SPARTACOM.COM OR APPROVED EQUAL.




1 RENTAL COUNTER CASEWORK REAR ELEVATION - 4 TOTAL
3/4" = 1'-0"




2 RENTAL COUNTER CASEWORK FRONT ELEVATION - 4 TOTAL
3/4" = 1'-0"




3 TYPICAL RENTAL COUNTER CASEWORK PLAN
3/4" = 1'-0"




4 RENTAL COUNTER CASEWORK PLAN SECTION
3/4" = 1'-0"




5 RENTAL COUNTER C107B CASEWORK REAR ELEVATION
3/4" = 1'-0"




6 RENTAL COUNTER C107B CASEWORK FRONT ELEVATION
3/4" = 1'-0"



9 GATE PODIUM MONITOR / KEYBOARD MOUNTING
3/4" = 1'-0"



7 RENTAL COUNTER C107B CASEWORK PLAN
3/4" = 1'-0"



8 RENTAL COUNTER CASEWORK SECTION
1 1/2" = 1'-0"

